Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20040190937").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:50
L2	5	("4975744" "5402207" "6175705" "6097918" "4951093").pn.	US-PGPUB; USPAT	OR	ON	2005/07/28 15:49
L3	1	"20040190937"	DERWENT	OR	ON	2005/07/28 15:54
L4	1	2004-520117.NRAN.	DERWENT	OR	ON	2005/07/28 15:50
L5	7	("399"/$.ccls. g03g$.ipc.) and mercer.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 15:59
L6	14	("399"/$.ccls. g03g$.ipc.) and shaft with (continuity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:32
L7	194	("399"/$.ccls. g03g$.ipc.) and shaft with (triang$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:08
L9	185	("399"/$.ccls. g03g$.ipc.) and shaft with (square)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:08
L10	22	7 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:06
L11	186	399/117.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:06
L12	395	("399"/$.ccls. g03g$.ipc.) and shaft with (ground)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:32

L13	1122	("399"/$.ccls. g03g$.ipc.) and shaft with (ground electrically electrical connect connect connecting) with (surface drum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 19:25
L15	311	("399"/$.ccls. g03g$.ipc.) and shaft with (ground$2) with (surface drum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:33
L16	1771	("399"/$.ccls. g03g$.ipc.) and shaft with (electrical electrically connect connected connecting) with (surface drum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:33
L17	195	("399"/$.ccls. g03g$.ipc.) and shaft with (electrical electrically) with (connect connected connecting) with (surface drum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:34
L18	413	15 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:54
L19	142	(15 17) and shaft with (shape$2 triang$5 square oval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:55
L20	0	("2003/0108363").URPN.	USPAT	OR	ON	2005/07/28 19:01
L21	1	"6400914".pn.	USPAT	OR	ON	2005/07/28 19:01
L22	442	("399"/$.ccls. g03g$.ipc.) and shaft with (square rectangular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 19:25
L24	45	("399"/$.ccls. g03g$.ipc.) and shaft with (square rectangular) same (photosensitive photoconductive photoconductor (image adj (bearing support supporting)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 19:31

L26	201	("399"/$.ccls. g03g$.ipc.) and shaft near4 (square rectangular) not 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 19:32